


BUTTERFLY VALVES

KKD-L...

Lug type connection, bare shaft

PN40, ANSI 300



DIMENSIONS AND WEIGHTS


DN	NPS	Ød	ØD	L	H1	H2	H3	S	ISO	kg
50	2"	46	95	45	118	128	86	14	F10	8
65	2 1/2"	61	112	48	126	136	86	14	F10	9
80	3"	76	126	48	134	140	86	14	F10	11
100	4"	96	155	54	144	150	86	14	F10	13
125	5"	118	184	57	178	170	89	17	F10	18
150	6"	143	224	59	199	200	101	19	F12	26
200	8"	188	280	73	234	240	104	22	F12	43
250	10"	236	345	83	278	270	129	27	F14	71
300	12"	281	395	92	318	310	134	32	F14	102
350	14"	320	440	117	367	360	158	36	F16	161
400	16"	371	495	133	392	385	168	46	F16	218
450	18"	420	560	149	437	425	240	18*12	F25	316
500	20"	469	622	159	465	450	245	20*12	F25	395
600	24"	549	720	181	535	530	310	25*14	F30	643

BUTTERFLY VALVES

KKD-L...

Lug type connection, gear operator

PN40, ANSI 300




DIMENSIONS AND WEIGHTS

DN	NPS	Ød	ØD	L	H1	H2	W	G	E	F	kg
50	2"	46	95	45	118	282	100	66	97	133	12
65	2 1/2"	61	112	48	126	290	100	66	97	133	13
80	3"	76	126	48	134	319	150	66	122	133	15
100	4"	96	155	54	144	329	150	66	122	133	17
125	5"	118	184	57	178	349	150	66	122	133	22
150	6"	143	224	59	199	416	200	77	161	236	34
200	8"	188	280	73	234	456	200	77	161	236	51
250	10"	236	345	83	278	509	200	94	183	236	83
300	12"	281	395	92	318	549	200	94	183	236	114
350	14"	320	440	117	367	680	300	120	257	324	184
400	16"	371	495	133	392	705	300	120	257	324	241
450	18"	420	560	149	437	833	400	153	352	374	368
500	20"	469	622	159	465	858	400	153	352	374	447
600	24"	549	720	181	535	1095	600	185	512	446	739

BUTTERFLY VALVES

KKD-L...
Lug type connection, lever
PN40, ANSI 300



DIMENSIONS AND WEIGHTS

DN	NPS	Ød	ØD	L	H1	H2	J	kg
50	2"	46	95	45	118	248	220	10
65	2 1/2"	61	112	48	126	252	220	11
80	3"	76	126	48	134	260	220	13
100	4"	96	155	54	144	270	220	15
125	5"	118	184	57	178	290	300	21
150	6"	143	224	59	199	335	400	31