


BUTTERFLY VALVES

KKD-W...

Wafer type connection, bare shaft

PN40, ANSI 300



DIMENSIONS AND WEIGHTS


DN	NPS	Ød	L	H1	H2	H3	S	ISO	kg
50	2"	46	45	118	128	86	14	F10	6
65	2 1/2"	61	48	126	136	86	14	F10	7
80	3"	76	48	134	140	86	14	F10	8
100	4"	96	54	144	150	86	14	F10	9
125	5"	118	57	178	170	89	17	F10	12
150	6"	143	59	199	200	101	19	F12	18
200	8"	188	73	234	240	104	22	F12	28
250	10"	236	83	278	270	129	27	F14	52
300	12"	281	92	318	310	134	32	F14	72
350	14"	320	117	367	360	158	36	F16	105
400	16"	371	133	392	385	168	46	F16	148
450	18"	420	149	437	425	240	18*12	F25	214
500	20"	469	159	465	450	245	20*12	F25	271
600	24"	549	181	535	530	310	25*14	F30	432

BUTTERFLY VALVES

KKD-W...

Wafer type connection, gear operator

PN40, ANSI 300



DIMENSIONS AND WEIGHTS


DN	NPS	Ød	L	H1	H2	W	G	E	F	kg
50	2"	46	45	118	282	100	66	97	133	10
65	2 1/2"	61	48	126	290	100	66	97	133	11
80	3"	76	48	134	319	150	66	122	133	12
100	4"	96	54	144	329	150	66	122	133	13
125	5"	118	57	178	349	150	66	122	133	16
150	6"	143	59	199	416	200	77	161	236	26
200	8"	188	73	234	456	200	77	161	236	36
250	10"	236	83	278	509	200	94	183	236	64
300	12"	281	92	318	549	200	94	183	236	84
350	14"	320	117	367	680	300	120	257	324	128
400	16"	371	133	392	705	300	120	257	324	171
450	18"	420	149	437	833	400	153	352	374	266
500	20"	469	159	465	858	400	153	352	374	323
600	24"	549	181	535	1095	600	185	512	446	528

BUTTERFLY VALVES

KKD-W...

Wafer type connection, lever

PN40, ANSI 300



DIMENSIONS AND WEIGHTS

DN	NPS	Ød	L	H1	H2	J	kg
50	2"	46	45	118	248	220	8
65	2 1/2"	61	48	126	252	220	9
80	3"	76	48	134	260	220	10
100	4"	96	54	144	270	220	11
125	5"	118	57	178	290	300	15
150	6"	143	59	199	335	400	23